

Jack Taylor Cycles

CHURCH ROAD · STOCKTON-ON-TEES



INTERNATIONAL MODEL

FRAME. Size 22" or 23", or to order, welded design or Nervex lug set, Reynolds tubing throughout, 73-71 degs. 41" wheel-base, 11" bracket height, 28" rake round section forks.

WHEELS. 27" dia., chrome high pressure with D/S. fixed and gear hubs, 15-17 g. spokes.

TYRES. 27" Michelin or Speed two colour.

BARS. Maes 15/16" dia. on alloy stem.

BRAKES. Weimann Vainqueur 999 with hooded levers and brazed cable eyes for open cable operation.

SADDLE. Brooks B5 S.P.F.

CHAINSET. Three-pin fitting. Single or Double Rings.

CHAIN. Brampton 3/32" derailleur.

PEDALS. Racing Lyotard 460A Double Sided Steel.

GEAR. Huret Allvit 5 speeds with brazed control boss and cable eyes for open cable operation.

GUARDS. Blumels ribbed white celluloid with 18" by 3/8" inflator to match.

FINISH. Flamboyant Green with double box lining to contrast, or Red, Blue, Purple or Copper to order.



A medium-priced machine, suitable for Road Racing. Also used in many long distance Time Trials. Weight, as illustrated, 25 lbs.

SUPER CLUBMAN MODEL



Weight 24 lbs.

FRAME. Size 21" to 24", welded design or Nervex Professional Lug Set, Reynolds '531' tubing, 73-71 degs., 40 1/2" wheel-base, 10 1/2" bracket height, 2 1/4" rake oval section forks.

WHEELS. 27" dia. Chrome high pressure with D/S. fixed and gear racing hubs, 15-17 g. spokes.

TYRES. Michelin High Speed, 27" dia.

BARS. Maes 15/16" dia. on alloy "Centre Pull" Stem.

BRAKES. Mafac Racer or Weinman 999 with hooded levers, cable eyes brazed to frame for open cable operation.

SADDLE. Brooks B.15 N.S.P.F.

CHAINSET. Steel three-pin fixing. Fluted 6 1/2".

CHAIN. Brampton 3/32" derailleur.

PEDALS. Lyotard 45A quill type solid centre.

GEAR. Campagnolo Record 5 Speed with brazed control boss and cable eyes for open cable operation.

GUARDS. Blumels ribbed White celluloid with 18" by 1/2" inflator to match.

FINISH. Flamboyant Purple with box lining Head and Seat Panels to contrast, or Red, Green, Blue or Copper to order.

SPORTS MODEL

FRAME. Size 21"-24", welded design, or Nervex Lug Set. Reynolds tubes. 73-71 degs., 41" wheelbase. 10 $\frac{1}{2}$ " bracket height. 2 $\frac{3}{4}$ " rake oval section forks. Brazed Gear Boss and all Cable Eyes.

WHEELS. 27" dia., chrome high pressure rims, with D/S. gear and fixed racing hubs. 15 g. spokes.

TYRES. Michelin High Speed.

BARS. Alloy Maes on alloy stem.

BRAKES. GB Sports with hooded levers and silver cables.

SADDLE. Brooks B5 S.P.F.

CHAINSET. Nicklin three-pin.

CHAIN. Brampton 3/32" derailleur.

PEDALS. Lyotard, Racing Lyotard 460A Double Sided Steel.

GEARS. To order single or 5 speed derailleur.

GUARDS. Bantel Beaugarde White celluloid ribbed, with 18" by $\frac{7}{8}$ " inflator to match.

FINISH. Flamboyant Blue, Red, Green, Purple or Copper to order or new Two Tone Finish.



Designed for fast club riding and hilly tours. Especially suitable for time trials. Available also for the Club girl. Weight, as illustrated, 26 lbs.

CURVED TUBE MODEL



A short wheelbase machine of special design, most suitable for hill climbs and short distance time Trials. Weight, as illustrated, 19 $\frac{1}{2}$ lbs.

FRAME. Size 21" to 24" welded to special design, Reynolds "531" butted tubes throughout short 37" wheelbase, 11" bracket height, 73-71 degs. 2" rake, round section forks.

WHEELS. 27" dia. high pressure on D/S. racing small flange hubs, 15-17 g. spokes.

TYRES. Michelin 27" dia. high pressure.

BARS. Maes 15/16" dia on alloy stem.

BRAKES. GB Synchron alloy.

SADDLE. B.15 Narrow.

CHAINSET. Three-pin fixing, 46 t. 6 $\frac{1}{2}$ " fluted.

CHAIN. Coventry $\frac{3}{8}$ " by $\frac{3}{8}$ " or 3/32".

PEDALS. Lyotard 45A Steel quill type.

GEAR. 73" and 69" fixed with 17 and 18 t. cogs.

GUARDS. Bantel ribbed white celluloid with 18" by $\frac{7}{8}$ " inflator to match.

FINISH. Flamboyant Red with box lining to contrast or Green, Blue, Copper or Purple to order.

TOURIST MODEL

FRAME. Any size to order. Welded design or built with Nervex or Prugnat lug set. Reynolds "531" butted tubing throughout, 73-71 deg. 42" wheelbase, 10 $\frac{1}{2}$ " bracket height 2 $\frac{3}{4}$ " rake oval section forks with wide pattern crown.

WHEELS. 27" dia. Chrome Kendrick or Continental Alloy Rims with single or double sided gear hubs and 14-16 gauge double butted spokes.

TYRES. 27" dia. Michelin or Speed.

BARS. Alloy Maes Randonneur or Flat to order on "centre pull" stem.

BRAKES. Mafac open cable cantilever type with all brazed eyes and bosses.

SADDLE. Brooks B.72 or B.15 Standard.

CHAINSET. Five pin cranks with T.A. 28, 40, 50T. treble rings or three pin cranks with 32 to 52T. double ring.

CHAIN. Brampton 3/32" derailleur.

PEDALS. Lyotard double sided or quill type.

GEARS. Campagnolo or Huret light tourist with Tourist front changer operated by open cables from right and left hand levers brazed to down tubes.

GUARDS. Reinforced Touring Section Continental Alloy with inflator to match.

BOTTLE. Detachable wire cage with lugs brazed to seat or down tube and pump pegs appropriately brazed to down tube or off-side seat stay.

CARRIERS. Lightweight tubular design, for panniers as illustrated, mounted on guards and frame end lugs or alternatively a lighter version, for front or rear bags only, mounted on guards and brake bosses.

DYNAMO. Special type Soubitez with all wiring concealed through frame to front and rear lamps.

FINISH. Any colour enamel or flamboyant to choice with carriers and guards finished and lined to contrast.



This machine is the very latest of its kind for the expert tourist, and includes many exclusive features. Specially designed bags are now also available for the different types of carriers. Weight as illustrated 29 lbs.

TOUR OF BRITAIN MODEL



Designed for Road Racing. Used successfully at home and abroad by many prominent riders, and also by the Jack Taylor Cycle Team in numerous events. Weight, as illustrated, 21 lbs.

FRAME. Size 22" or 23", or to order, Nervex or Prugnat lug set 73-71 degs., 41½" wheelbase, 11" bracket height 2½" rake oval section forks. Campagnolo or Huret front and rear fork ends.

WHEELS. 27" dia. alloy sprint rims on D/S. or S.S. gear hubs. 15-17 g. spokes.

TYRES. Tubular sprint to order.

BARS. G.B. or Cinelli alloy to order on alloy stem.

BRAKES. Campagnolo G.B., or Mafac Racer with hooded levers and brazed cable eyes for open cable operation.

SADDLE. Brooks B.17 professional or competition.

CHAINSET. Stronglight or Campagnolo 6½" cranks double or treble chain wheels.

CHAIN. Brampton Regina 3/32"

PEDALS. Lyotard/Campagnolo racing solid centre.

GEAR. Campagnolo, Simplex or Huret ten speeds.

FITTINGS. Detachable down tube Bottle Carrier and CO2 pump clip.

FINISH. Flamboyant Purple with box lining and lug edging to contrast or Red, Blue, Green or Copper to order.

TRACK MODEL

FRAME. Size 22" or 23", or to order, welded design, Nervex or Prugnat lug set. Reynolds "531," butted tubing throughout, 41" wheelbase, 11½" bracket height, 1½" rake round section forks.

WHEELS. Alloy 27" dia. sprint rims on large flange fixed hubs, 15-17 g. spokes.

TYRES. 27" dia. tubular sprint to order.

BARS. G.B. or Cinelli on chrome plated sliding extension.

SADDLE. Brooks B.17 competition.

CHAINSET. Three-pin or five-pin, 26T.

CHAIN. Reynolds or Regina 1" by 3/16" block pattern.

PEDALS. Lyotard 45 quill type.

GEARS. 87" and 73" with 8 and 9 t. cogs.

FINISH. Flamboyant Copper with Box lining to contrast or Red, Blue, Green or Purple to order.



An all round track machine suitable for hard Cinder or Grass Tracks. Very responsive with 1" pitch transmission. Weight, as illustrated, 18½ lbs.

LADIES MODEL



A superbly designed model for the lady cyclist, incorporating lightweight accessories on the most modern frame. Can also be had with racing shape bars for the club or racing girl. Weight, as illustrated, 24 lbs.

FRAME. Size 21" or 22", welded to special design, Reynolds "531" butted tubes 73-71 degs., 41" wheelbase, 10½" bracket, 2½" rake oval section forks.

WHEELS. 27" dia. high pressure with D/S. gear hubs 15 g. spokes.

TYRES. Michelin High Speed or Speed.

BARS. North Road flat or raised on alloy stem with Tourist brake levers.

BRAKES. GB with silver cables and brazed eyes for open operation.

SADDLE. Brooks B.72 or Middlemore.

CHAINSET. Three or five-pin fitting.

CHAIN. Coventry ½" by ¾".

PEDALS. Lyotard or rubber with reflector.


GEAR. 67" with 17 t. free wheel or five-speed derailleur.

GUARDS. Blucmels ribbed white celluloid with 15" by ½" inflator match.

FINISH. Flamboyant Yellow with box lining to contrast or Green, Blue, Purple, Copper or Red to order.

SPORTS TANDEM

This model fulfils a long felt need among tandemists for a low priced machine built on modern high-class lines. Can be built with parallel top tube or sloping to the rear to accommodate the smaller rear rider. The specification includes many items of well proved performance and reliability. Weight 43 lbs. complete.



FRAME. 22"-21" with sloping top tube or to order. Open design as illustrated or double diamond. Built throughout from Reynolds 531 tubing and Bronze welded construction. 73-71-69 degs. 63" wheelbase, 11" Bracket height, 2 1/2" Rake oval section forks. All brazed parts for gears, brakes, etc.

FITTINGS. Stronglight head set and Bottom Brackets.

WHEELS. 27" dia. or 650 B Endrick rims with Tandem D/S gear hubs and 12-14 gauge spokes.

TYRES. 27" dia. or 650 B.

BARS. Alloy Maes on alloy stems.

BRAKES. Mafac Tandem Criterium. Braze on Type or Hub Brakes to front and rear.

SADDLES. Brooks B.15 Standard or Narrow.

CHAINSETS. Direct or Crossover drive. Not as illustrated.

CHAIN. Brampton Derailleur 1/2" x 3/32".

PEDALS. Lyotard Racing Double Sided.


GEAR. Huret or Campagnolo Tourer for wide ratio gears. All parts Brazed on. Control on Down Tube.

GUARDS. Lefol Wide section alloy with 18" Inflator to tch.

FINISH. Any colour enamel or flamboyant with panles or lining to contrast.

TRACK TANDEM

Specially designed for use during the Olympics, this model has proved very successful for all types of tracks in many different countries. Weight 35 lbs.



FRAME. Any size to order, double diamond design or lateral tubes as illustrated. Built throughout from Reynolds 531 tubing and Bronze welded, 62" wheelbase, 11" bracket height, 1 1/2" rake oval section forks.

FITTINGS. Stronglight head set and Bottom Brackets.

WHEELS. 27" dia. Alloy Sprint Rims, Campagnolo Hubs for Fixed sprockets and lock rings. Large flange 12-14 gauge spokes.

TYRES. 27" dia. Tubular.

BARS. Alloy Maes or Cinelli on Underslung or Sliding Steel Stems.

SADDLES. Brooks B.17 Competition.

CHAINSETS. Direct Drive with 1" x 3/16" pitch rings. Sizes to order or Campagnolo.


PEDALS. Lyotard double sided or Single Sided Quill type.

GEAR. Lyotard sprockets sizes to order.

FINISH. Any colour enamel, metallic or flamboyant to order with lining etc.

TOURING TANDEM

With fifteen speed gearing, three brakes, front and rear pannier carriers and Dynamo with concealed wiring this tandem represents the finest model available today. Weight fully equipped, 47 lbs.



FRAME. Sizes to order with parallel or sloping top tube Double Diamond Design. 63" wheelbase, 11" Bracket Height, 2 1/2" rake oval section forks. Brazed on parts for all fittings.

WHEELS. 27" dia. or 650 B Endrick Section Rims with Rear hub brake with open cable operation from lever on front bars.

TYRES. 27" dia. or 650 B.

BRAKES. Two Tandem Braze on Type Mafac Rim brakes coupled to double lever on front bars.

BARS. Maes or Randonneur alloy on alloy stems. Front Stem specially designed for adjustment of Mafac brake.

SADDLES. Brooks B.17 or B.15 or B.66 for rear.

CHAINSETS. Crossover drive with T.A. 28-40-50T Triple Driving Rings (or T.A. Alloy cotterless sets to order).

CHAINS. Brampton 1/2" x 3/32" derailleur.

GEARS. Campagnolo or Huret Tourist Gear braze on type with operation for wide ratios. R.H. down tube control. Front Changer with L.H. down tube control.

GUARDS. Lefol Alloy Wide Section Touring with 18" inflator to match.

CARRIERS. Front and Rear Pannier Carriers. Tubular of novel Jack Taylor design mounted on fork ends and above guards.

LIGHTING. Soubitez Dynamo brazed to LH seat stay with concealed wiring to front and rear lamps as illustrated.

BOTTLES. Fitted to front and rear down tube detachable cages with brazed on fittings.

FINISH. Choice of Flamboyant, Red, Blue, Green, Yellow, Copper, Purple or Turquoise with lining or to order.